




RELIABLE SAFE ACCESS

The Safe Access Solution for Roof Top Walkways and Step Overs



- FLEXIBLE, MODULAR SAFE ACCESS SOLUTIONS ADAPTABLE TO ALL ROOFS AND LEVELS
- COMPLIANT TO EN 516 CLASS 1-C & EN 14122-3
- STANDARD SITE-ASSEMBLED MODULES AND KITS
- AVAILABLE IN BOTH NYLON AND ALUMINIUM TREADED OPTIONS

Kee® Walk

Roof Top Walkways | P2

Kee Walk With Guardrail | P3

Kee Walk Aluminium | P5

Mini Step Modules & Step Overs | P6



KEE WALK for Roof Top Walkways

Roof surfaces can be extremely dangerous places to work especially in wet or wintry conditions. Varying levels, uneven surfaces and multiple obstructions all present hazards which need to be overcome.

KEE WALK offers a solution to these problems by providing a safe, anti-slip, level walking surface for means of access to and across roofs. With adjustable step sections and the ability to traverse a roof across the slope, **KEE WALK** has the inherent flexibility to ensure safe access to all. But not only does it protect those accessing the roof, it also protects the roof sheet from unnecessary foot traffic and potential damage by providing a clearly defined access path.

Material

KEE WALK is available as standard in Nylon or Aluminium treads. Supplied in standard 1.5m or 3m sections **KEE WALK** can be installed on roofs with a pitch up to 35°.

Roof Compatibility

- Membrane / Asphalt / PVC
- Metal Roofs
- Standing Seam
- Composite Roofs

Standard

EN516:2006 is the European standard for the test requirements of roof access walkways, which include measuring the deflection and residual deformation under specified loads. These criteria have been surpassed in all testing and as this is a harmonised standard allows the system to be CE marked under the European Construction Products Regulation No. 305/2011.

Modular and Versatile

Can be used in conjunction with other products to provide a complete fall protection plan.



KEE WALK aluminium used in conjunction with KEELINE lifeline



KEE WALK used with integral guardrail



KEE WALK Step Over on unlevelled membrane roof



Features and Benefits

- Controlled roof top access prevents encroachment towards hazards so you are sure all roof top users remain safe
- CE approved to EN 516 Class 1-C offers security of product performance
- The Glass reinforced Nylon Treads have excellent UV stability so will not degrade with exposure to intense sunlight
- The treads are fire rated to Class HB of UL94 so don't present a fire risk
- **KEE WALK** longitudinal sections weigh less than 9kg/m and are easily handled by two workers for ease of installation

KEE WALK with Guardrail



Why guardrail on walkway?

The **KEE WALK** with guardrail system from Kee Safety is a fall protection solution consisting of walkway and guardrail which can be installed quickly and easily on a wide variety of roofs.

It is a safe, compliant and modular approach to guardrail protection and eliminates the fall hazard typically present when workers are exposed to an unprotected edge whilst accessing or egressing a roof top.



A walkway with guardrail is the most preferred fall protection system as dictated in the hierarchy of control measures; it provides the highest level of collective fall prevention for roof access and work at height.

KEE WALK walkways provide a defined and secure route across the roof keeping users safe from the associated hazards when working at height without the need for fall arrest personal protection equipment (PPE) or harnesses.

KEE WALK walkways can be combined with our range of platforms, guardrail and steps to form a complete safe access solution.



KEE WALK with Guardrail

How does it work?

When it comes to the guardrail installation, our solution is equally suited to both retrofit on existing installed Kee Walk or as a new build.

The safety guardrail is built from 48.3mm tube with galvanised **KEE KLAMP** corrosion resistant fittings and safety handrails and is a non-penetrative solution that can be installed on one or both sides of **KEE WALK** very easily. Aluminium guardrail is also available using **KEE LITE** fittings.

Both **KEE KLAMP** and **KEE LITE** fittings are modular, which makes for simple and fast on-site installation.

KEE WALK with guardrail is suited to a variety of different roof surfaces, slopes, steps, traverses and pitches up to 35°.

- Standing Seam
- Composite panels
- Metal roofing

We will survey and specify to suit your site requirements guaranteeing peace of mind and a perfect installation.



Features and Benefits

- **KEE WALK** walkway with guardrail offers a complete safety and cost-effective, non-corrosive protection of the highest order whilst maintaining simple and quick installs
- Can be used in conjunction with our range of steps, platforms and step overs when negotiating changes in level
- Guardrail compliant to BS EN 14122-3, BS EN 13374 & OSHA requirements
- **KEE WALK** Walkway compliant to Pre-Fabricated Accessory EN516 – Class 1-C
- Manufactured in the UK
- Designed for use on all major roofing systems and up to 35° roof pitch
- Slip resistant



KEE WALK Aluminium



Material

KEE WALK Aluminium is made from lightweight aluminium bearer bars incorporating aluminium adjustable height brackets and a slip resistance high grade aluminium tread compliant to British Standard BS 4592.

Standard

The **KEE WALK Aluminium** treads have been tested to EN 516, ensuring the deflection on the treads is compliant. Aluminium treads are available with stainless fixings.

Roof Compatibility

KEE WALK Aluminium is capable of providing a horizontal walkway on a barrel, sloping and flat designed roofs without the need for specially designed components.

The system can be easily fixed to different roof types:

- Composite
- Trapezoidal profile
- Standing seam
- Concrete roofs

KEE WALK Aluminium is suitable for roof pitches between 0 to 35 degrees and provides a safe walkway having a width 600mm as standard, Other widths are available upon request.



Design & Installation

Our highly competent engineering team will complete a survey and then offer a solution tailored to your needs. We can also install the system if required.

KEE WALK for Flat Roof Tops - Mini Step Modules & Step Overs

Navigating a roof across pipework, low level walls, changes in levels and installed equipment can present a problem.

Entire areas of the roof space can become inaccessible making maintenance difficult or even impossible.

KEE WALK mini step modules and Step Overs offer a solution.

Available as kits, the Step Overs are supplied flat packed with full assembly instructions to allow quick and easy installation.

Mini Step Module Kits

- Two height clearance options, 200mm and 400mm
- Three lengths available, 3, 4 and 5 tread options
- Two fixing options, free standing and fixed

Low maintenance, **KEE WALK** Mini Step modules are made from Galvanised steel, Aluminium extrusion and reinforced Nylon treads and are tested and compliant to EN 516 Class 1-C.

Two options are available, free standing, which the unit stands on two 26kg base weights, or fixed, which can be attached to suitable securing surfaces.

Step Over Standard Kits

- 5 clearance heights available: 600mm, 800mm, 1000mm, 1200mm, 1400mm
- 1m landing
- Delivered pre-assembled
- Includes double handrail
- Option for base: freestanding on membrane or base plate for metal and standing seam roofs

Standard

EN 14122-2/3:2016 - This standard defines the requirements for non-powered fixed means of access in and around buildings where access to machinery and plant or where access and egress is required. It deals specifically with guardrail details such as materials, loading and deflection, alongside tread placement with regards to depth, rise, going and pitch with requirements for dimensional, positional and operational considerations for the work platform.

We can provide **KEE WALK** Step Over for metals roofs on demand, please contact us with your details for further information.



Kee Walk®



Kee Safety Shanghai
上海市延安东路588号
远洋大厦一期16AB

Tel: +86 400 820 9261
Fax: +86 (21) 6350 7448

Email: chnsales@keesafety.com
www.keesafety.cn

KEE WALK, KEELINE, KEEGUARD, KEE KLAMP & KEE LITE are trademarks of Kee Safety Limited. Whilst every effort has been made to ensure the accuracy of the information contained in this brochure Kee Safety LLC cannot be held responsible for any errors or omissions. Kee Safety reserves the right to alter or withdraw products without prior notice. Kee Safety accepts no responsibility for any loss or damage arising from improper use of their products. ©2020 Kee Safety All Rights Reserved.