






YOU'LL NEVER BE BETTER PROTECTED

# Safety Components Guide



● Kee Lite aluminium version available

<p><b>Single Socket Tee</b></p> <p><b>10</b></p>  <p>Type 10-3 10-75 10-4 10-76 10-5 10-78 10-6 10-8 10-65 10-87 10-67 10-9 10-7 10-98</p>	<p><b>Split Single Socket Tee</b></p> <p><b>A10</b></p>  <p>Type A10-7 A10-8</p>	<p><b>Single Socket Tee</b></p> <p><b>12</b> 45°</p>  <p>Type 12-5 12-6 12-7 12-8</p>	<p><b>Split Single Socket Tee</b></p> <p><b>A12</b> 45°</p>  <p>Type A12-8</p>	<p><b>Straight Coupling</b></p> <p><b>14</b></p>  <p>Type 14-4 14-5 14-6 14-7 14-8 14-9</p>
<p><b>Elbow</b></p> <p><b>15</b> 90°</p>  <p>Type 15-4 15-5 15-6 15-7 15-8 15-9</p>	<p><b>Clamp-on Tee</b></p> <p><b>16</b></p>  <p>Type 16-5 16-6 16-7 16-8 16-9</p>	<p><b>Clamp-on Crossover</b></p> <p><b>17</b></p>  <p>Type 17-5 17-6 17-7 17-78 17-8 17-9</p>	<p><b>Internal Coupling</b></p> <p><b>18</b></p>  <p>Type 18-6 18-7 18-8</p>	<p><b>Adjustable Side Outlet Tee</b></p> <p><b>19*</b></p>  <p>Type 19-5 19-6 19-7 19-8 19-85 19-9</p>
<p><b>Side Outlet Elbow</b></p> <p><b>20</b></p>  <p>Type 20-4 20-5 20-6 20-7 20-8 20-9</p>	<p><b>Side Outlet Tee</b></p> <p><b>21</b> 90°</p>  <p>Type 21-4 21-5 21-6 21-7 21-8 21-9</p>	<p><b>Split Two Socket Side Outlet Tee</b></p> <p><b>A21</b> 90°</p>  <p>Type A21-8</p>	<p><b>Three Socket Tee</b></p> <p><b>25</b></p>  <p>Type 25-4 25-5 25-6 25-7 25-8 25-9</p>	<p><b>Two Socket Cross</b></p> <p><b>26</b></p>  <p>Type 26-3 26-7 26-4 26-8 26-5 26-87 26-6 26-9</p>
<p><b>Split Two Socket Cross</b></p> <p><b>A26</b></p>  <p>Type A26-8</p>	<p><b>Single Socket Tee</b></p> <p><b>29</b> 30°-60°</p>  <p>Type 29-6 29-7 29-8</p>	<p><b>Adjustable Cross</b></p> <p><b>30</b> 30°-45°</p>  <p>Type 30-6 30-7 30-8</p>	<p><b>Pallet Flange</b></p> <p><b>31</b></p>  <p>Type 31-8</p>	<p><b>Decorative Ball</b></p> <p><b>32</b></p>  <p>Type 32-7 32-8</p>
<p><b>Three Socket Cross</b></p> <p><b>35</b></p>  <p>Type 35-4 35-5 35-6 35-7 35-8 35-9</p>	<p><b>Split Three Socket Cross</b></p> <p><b>A35</b></p>  <p>Type A35-8</p>	<p><b>Four Socket Cross</b></p> <p><b>40</b></p>  <p>Type 40-4 40-5 40-6 40-7 40-8 40-9</p>	<p><b>Split Four Socket Cross</b></p> <p><b>A40</b></p>  <p>Type A40-8</p>	<p><b>Crossover</b></p> <p><b>45</b></p>  <p>Type 45-3 45-76 45-4 45-8 45-5 45-86 45-6 45-87 45-65 45-9 45-7 45-98</p>
<p><b>Split Crossover</b></p> <p><b>A45</b></p>  <p>Type A45-7 A45-8</p>	<p><b>Combination Socket Tee and Crossover</b></p> <p><b>46</b></p>  <p>Type 46-4 46-5 46-6 46-7 46-8 46-9</p>	<p><b>Single Swivel Swivel</b></p> <p><b>C50</b></p>  <p>Type C50-44 C50-55 C50-66 C50-77 C50-88 C50-99</p>	<p><b>Female Single Swivel Socket Member</b></p> <p><b>F50</b></p>  <p>Type F50-4 F50-5 F50-6 F50-7 F50-8 F50-9</p>	<p><b>Male Single Swivel Socket Member</b></p> <p><b>M50</b></p>  <p>Type M50-4 M50-5 M50-6 M50-7 M50-8 M50-9</p>
<p><b>Male Single Horizontal Swivel Socket Member</b></p> <p><b>MH50</b></p>  <p>Type MH50-6</p>	<p><b>Modified M50-8 with Offset Slot</b></p> <p><b>P50</b></p>  <p>Type P50-8</p>	<p><b>Double Swivel Socket</b></p> <p><b>C51</b></p>  <p>Type C51-555 C51-666 C51-777 C51-888 C51-999</p>	<p><b>Male Double Swivel Socket Member</b></p> <p><b>M51</b></p>  <p>Type M51-5 M51-6 M51-7 M51-8 M51-9</p>	<p><b>Male Double Horizontal Swivel Socket Member</b></p> <p><b>MH51</b></p>  <p>Type MH51-6</p>
<p><b>Modified M51-8 with Offset Slots</b></p> <p><b>P51</b></p>  <p>Type P51-8</p>	<p><b>Corner Swivel Socket</b></p> <p><b>C52</b></p>  <p>Type C52-555 C52-666 C52-777 C52-888</p>	<p><b>Male Corner Swivel Socket Member</b></p> <p><b>M52</b></p>  <p>Type M52-5 M52-6 M52-7 M52-8</p>	<p><b>Swivel Elbow</b></p> <p><b>BC53</b></p>  <p>Type BC53-66 BC53-77 BC53-88</p>	<p><b>Adjustable Three Way Swivel Socket</b></p> <p><b>C53</b></p>  <p>Type C53-888</p>
<p><b>Variable Angle Double Swivel Socket Member</b></p> <p><b>M53</b></p>  <p>Type M53-8</p>	<p><b>Obtuse Angle Elbow</b></p> <p><b>55</b></p>  <p>Type 55-6 55-7 55-8</p>	<p><b>Variable Elbow</b></p> <p><b>55A</b> 11°-30°</p>  <p>Type 55A-7 55A-8</p>	<p><b>Acute Angle Elbow</b></p> <p><b>56</b> 30°-45°</p>  <p>Type 56-7 56-8</p>	<p><b>Acute Angle Elbow</b></p> <p><b>56A</b> 11°-30°</p>  <p>Type 56A-7 56A-8</p>

<p><b>Modified M50-8 with Slot</b></p> <p><b>P57</b></p>  <p>Type P57-8</p>	<p><b>Modified P57</b></p> <p><b>P57E</b></p>  <p>Type P57E-7</p>	<p><b>Swivel Flange</b></p> <p><b>C58</b></p>  <p>Type C58-5 C58-6 C58-7 C58-8 C58-9</p>	<p><b>Swivel Flange Plate</b></p> <p><b>M58</b></p> 	<p><b>Double Central Flange Fitting</b></p> <p><b>P58</b></p>  <p>Type P58-7</p>
<p><b>Spigot Flange</b></p> <p><b>59</b></p>  <p>Type 59-5 59-6 59-7 59-8 59-9</p>	<p><b>Extra Heavy Flange</b></p> <p><b>60</b></p>  <p>Type 60-5 60-6 60-7 60-8</p>	<p><b>Flange</b></p> <p><b>61</b></p>  <p>Type 61-3 61-4 61-5 61-6 61-7 61-8 61-9</p>	<p><b>Standard Railing Flange</b></p> <p><b>62</b></p>  <p>Type 10-5 10-6 10-7 10-8 10-9</p>	<p><b>Angle Base Flange</b></p> <p><b>63</b> 45°-60°</p>  <p>Type 63-6 63-7 63-8</p>
<p><b>Standard Vertical Railing Base</b></p> <p><b>64</b></p>  <p>Type 64-6 64-7 64-8</p>	<p><b>Standard Horizontal Railing Base</b></p> <p><b>65</b></p>  <p>Type 65-6</p>	<p><b>Ground Socket</b></p> <p><b>66</b></p>  <p>Type 66-6 66-7 66-8</p>	<p><b>Angle Flange</b></p> <p><b>67</b> 3°-11°</p>  <p>Type 67-7 67-8</p>	<p><b>Wall Flange</b></p> <p><b>68</b></p>  <p>Type 68-6 68-7 68-8</p>
<p><b>Railing Flange with Toeboard Adapter</b></p> <p><b>69</b></p>  <p>Type 69-6 69-7 69-8</p>	<p><b>Rail Support</b></p> <p><b>70</b></p>  <p>Type 70-5 70-6 70-7 70-8</p>	<p><b>Weather Cap</b></p> <p><b>71</b></p>  <p>Type 71-6 71-7 71-8</p>	<p><b>Stair Tread Support</b></p> <p><b>72</b></p>  <p>Type 72-8</p>	<p><b>Collar</b></p> <p><b>75</b></p>  <p>Type 75-4 75-5 75-6 75-7 75-8</p>
<p><b>Hook</b></p> <p><b>76</b></p>  <p>Type 76-5 76-6 76-7 76-8</p>	<p><b>Plastic Plug</b></p> <p><b>77</b></p>  <p>Type 77-4 77-5 77-6 77-7 77-8 77-9</p>	<p><b>Eye Fitting</b></p> <p><b>78</b></p>  <p>Type 78-5 78-6 78-7 78-8</p>	<p><b>Sheeting Clip</b></p> <p><b>79</b></p>  <p>Type 79-7</p>	<p><b>Single Sided Clip</b></p> <p><b>81</b></p>  <p>Type 81-5 81-6 81-7 81-8 81-9</p>
<p><b>Double Sided Clip</b></p> <p><b>82</b></p>  <p>Type 82-5 82-6 82-7 82-8 82-9</p>	<p><b>Pin Fitting</b></p> <p><b>83</b></p>  <p>Type 83-5 83-6 83-7 83-8</p>	<p><b>Malleable Plug</b></p> <p><b>84</b></p>  <p>Type 84-5 84-6 84-7 84-8 84-9</p>	<p><b>Angle Tee</b></p> <p><b>86</b> 0°-11°</p>  <p>Type 86-7 86-8</p>	<p><b>Angle Elbow</b></p> <p><b>87</b> 0°-11°</p>  <p>Type 87-7 87-8</p>
<p><b>Three Socket Angle Tee</b></p> <p><b>88</b> 0°-11°</p>  <p>Type 88-7 88-8</p>	<p><b>Two Socket Angle Cross</b></p> <p><b>89</b> 0°-11°</p>  <p>Type 89-7 89-8 89-8</p>	<p><b>PGR Three Socket Tee</b></p> <p><b>90</b></p>  <p>Type 90-8</p>	<p><b>PGR Two Socket Tee</b></p> <p><b>91</b></p>  <p>Type 91-8</p>	<p><b>PGR Elbow</b></p> <p><b>92</b></p>  <p>Type 92-8</p>
<p><b>PGR Tee</b></p> <p><b>93</b></p>  <p>Type 93-8</p>	<p><b>Set Screws</b></p> <p><b>97</b></p>  <p>Type 97-3 97-4 97-56 97-56S* 97-789 97-789S*</p>	<p><b>Anti-Theft Device</b></p> <p><b>97ATD</b></p> 	<p><b>Hex Key</b></p> <p><b>99</b></p>  <p>Type 98-3 98-4 98-56 98-789</p>	<p><b>Plastic Set Screw Cap</b></p> <p><b>100</b></p>  <p>Type 100-56 100-789</p>
<p><b>Sheeting Clip without Hardware</b></p> <p><b>105</b></p>  <p>Type 105-6 105-7 105-8 105-9</p>	<p><b>Swivel Tee</b></p> <p><b>114</b></p>  <p>Type 114-6 114-7 114-8</p>	<p><b>Horizontal Raining Base</b></p> <p><b>115</b></p>  <p>Type 115-6 115-7 115-8</p>	<p><b>Packer Plate for Type 115</b></p> <p><b>S115</b></p> 	<p><b>Cover Flange</b></p> <p><b>118</b></p>  <p>Type 118-8</p>

\*Stainless steel

● Kee Lite aluminium version available

<b>Corner Crossover</b> <b>121</b>  Type 121-7	<b>Crossover Coupling</b> <b>145</b>  Type 145-7	<b>Toeboard</b> <b>TB150</b>  Type TB150 Aluminium Toeboard TB2 Straight Connector TB2C Right Angle Connector TPFP1 Fixing Pack TB3-7 Saddle Bracket TB3-8 Saddle Bracket	<b>Single Sided Fixing Bracket</b> <b>199</b>  Type 199-6 199-7 199-8	<b>Double Sided Fixing Bracket</b> <b>200</b>  Type 200-6 200-7 200-8
<b>Round Base Flange</b> <b>262</b>  Type 262-8	<b>Offset Rail Wall Flange</b> <b>265</b>  Type 265-7 265-8	<b>Parapet Flange</b> <b>316</b>  Type 316-7 316-8	<b>Left Hand Level to Sloping Down Side Outlet Elbow</b> <b>320LH</b> 30°-45°  Type 320LH-7 320LH-8	<b>Right Hand Level to Sloping Down Side Outlet Elbow</b> <b>320RH</b> 30°-45°  Type 320RH-7 320RH-8
<b>Left Hand Level to Sloping Down Side Outlet Tee</b> <b>321LH</b> 30°-45°  Type 321LH-7 321LH-8	<b>Right Hand Level to Sloping Down Side Outlet Tee</b> <b>321RH</b> 30°-45°  Type 321RH-7 321RH-8	<b>Level to Sloping Down Tee</b> <b>325</b> 30°-45°  Type 325-7 325-8	<b>Level to Sloping Up Tee</b> <b>325A</b> 30°-45°  Type 325A-7 325A-8	<b>Level to Sloping Down or Up Cross</b> <b>326</b> 30°-45°  Type 326-7 326-8
<b>Three Socket Tee</b> <b>327</b> 11°-30°  Type 327-7 327-8	<b>Two Socket Cross</b> <b>328</b> 11°-30°  Type 328-7 328-8	<b>Single Socket Tee</b> <b>329</b> 11°-30°  Type 329-7 329-8	<b>Eaves Fitting</b> <b>350</b>  Type 350-8	<b>Ridge Fitting</b> <b>351</b>  Type 351-8
<b>Angle Base Flange</b> <b>363</b> 11°-30°  Type 363-7 363-8	<b>Three Socket Tee</b> <b>427</b> 30°-45°  Type 427-7 427-8	<b>High Capacity Base Flange</b> <b>623</b>  Type 623-8 623-9		

\* Normally used in pairs but sold/priced separately


**Components for Safety Barrier Solutions**

- Cast iron – BS EN 1562 /1563
- Hot dip galvanised – BS EN 1461
- Can be supplied polyester powder coated
- Unlimited number of applications
- Uses standard steel tube sizes – ISO 65 and BS EN 10255

**A** Adjustable Cross

**B** 30

**C** 30°-45°



**D** Type  
30-6  
30-7  
30-8

**A** Description  
**B** Fitting  
**C** Angle  
**D** Type: Fitting-Size

Fitting-Size	Tube diameter (mm o.d.)	Nominal bore* <sup>1</sup> (mm)
3	17.5	10
4	21.3	15
5	26.9	20
6	33.7	25
7	42.4	32
8	48.3	40
9	60.3	50

\*<sup>1</sup> Nominal bore is an arbitrary dimension, because the bore varies with the wall thickness of the tubes.



**Kee Safety LLC**  
 Dubai Investment Park  
 Near Green Community  
 PO Box 18448, UAE

**Tel:** +971 4 885 9066  
**Email:** uaesales@keesafety.com  
**Web:** www.keesafety.ae

